

Vivaldi Project

Data management plan

Microscopical description of OsHV-1 lesions

18/02/2019



DATA MANAGEMENT PLAN

Template sheet for each dataset

Partner name	IFREMER
Data category	Microscopical description
	interescopical acsorption
Concerned WP	WP2 Choisissez un élément.
	Choisissez un élément.
Name of the VIVALDI referent(s)	Microscopical description: Noelia Carrasco & Steve Feist
Name of the vivalor referent(s)	Microscopical description. Noella Carrasco & Steve Feist
Reference of the dataset	2.2.1/C.gigas/OsHV-1/P01
Please refer to the DMP table to find the appropriate reference.	
Ex: Genome-Patho/SubTaskN°/Pathogen/PartnerN°	
	Images of the different tissue lesions induced by the virus OsVH-1 in
	the oyster Crassostrea gigas and descriptive text of the lesions present.
Description of the data	
Туре	Photos
. , , , ,	text
Period and frequency of data	Images and descriptive text were performed during the observation
i criou and irequency or data	mages and descriptive text were perjormed during the observation
collection	of histological slides in 2018 and 2019.
Collection Geographical site of data collection (if applicable)	of histological slides in 2018 and 2019. Experimental infection
Geographical site of data collection (if applicable)	Experimental infection
Geographical site of data	
Geographical site of data collection (if applicable) Description of the material from which the dataset is generated Information will be obtained from	Experimental infection The histological slides came from a hatchery oyster population
Geographical site of data collection (if applicable) Description of the material from which the dataset is generated Information will be obtained from individuals, which can come from natural/hatchery population and/or	Experimental infection The histological slides came from a hatchery oyster population infected experimentally by the OsHV-1 virus. Each histological slide
Geographical site of data collection (if applicable) Description of the material from which the dataset is generated Information will be obtained from individuals, which can come from natural/hatchery population and/or from family produced in hatchery.	Experimental infection The histological slides came from a hatchery oyster population infected experimentally by the OsHV-1 virus. Each histological slide
Geographical site of data collection (if applicable) Description of the material from which the dataset is generated Information will be obtained from individuals, which can come from natural/hatchery population and/or from family produced in hatchery. Animals can be infected (naturally or experimentally). DNA extraction can be	Experimental infection The histological slides came from a hatchery oyster population infected experimentally by the OsHV-1 virus. Each histological slide
Geographical site of data collection (if applicable) Description of the material from which the dataset is generated Information will be obtained from individuals, which can come from natural/hatchery population and/or from family produced in hatchery. Animals can be infected (naturally or	Experimental infection The histological slides came from a hatchery oyster population infected experimentally by the OsHV-1 virus. Each histological slide
Geographical site of data collection (if applicable) Description of the material from which the dataset is generated Information will be obtained from individuals, which can come from natural/hatchery population and/or from family produced in hatchery. Animals can be infected (naturally or experimentally). DNA extraction can be done from the whole animal, tissue.	Experimental infection The histological slides came from a hatchery oyster population infected experimentally by the OsHV-1 virus. Each histological slide corresponds to one individual. 208 individuals were analysed. Each oyster was cut in two parts; one was fixed in Davidson's fixative
Geographical site of data collection (if applicable) Description of the material from which the dataset is generated Information will be obtained from individuals, which can come from natural/hatchery population and/or from family produced in hatchery. Animals can be infected (naturally or experimentally). DNA extraction can be done from the whole animal, tissue. Protocols Example: 16S ribosomal RNA gene	Experimental infection The histological slides came from a hatchery oyster population infected experimentally by the OsHV-1 virus. Each histological slide corresponds to one individual. 208 individuals were analysed. Each oyster was cut in two parts; one was fixed in Davidson's fixative for histological examination and the other one was fixed in Carson's
Geographical site of data collection (if applicable) Description of the material from which the dataset is generated Information will be obtained from individuals, which can come from natural/hatchery population and/or from family produced in hatchery. Animals can be infected (naturally or experimentally). DNA extraction can be done from the whole animal, tissue. Protocols Example: 16S ribosomal RNA gene sequencing by NGS	Experimental infection The histological slides came from a hatchery oyster population infected experimentally by the OsHV-1 virus. Each histological slide corresponds to one individual. 208 individuals were analysed. Each oyster was cut in two parts; one was fixed in Davidson's fixative for histological examination and the other one was fixed in Carson's fixative for further electron microscopic analysis. After 48 h in Davidson's fixative, tissues were maintained in 70% ethanol until
Geographical site of data collection (if applicable) Description of the material from which the dataset is generated Information will be obtained from individuals, which can come from natural/hatchery population and/or from family produced in hatchery. Animals can be infected (naturally or experimentally). DNA extraction can be done from the whole animal, tissue. Protocols Example: 16S ribosomal RNA gene	Experimental infection The histological slides came from a hatchery oyster population infected experimentally by the OsHV-1 virus. Each histological slide corresponds to one individual. 208 individuals were analysed. Each oyster was cut in two parts; one was fixed in Davidson's fixative for histological examination and the other one was fixed in Carson's fixative for further electron microscopic analysis. After 48 h in Davidson's fixative, tissues were maintained in 70% ethanol until dehydrated and embedded in paraffin for histology according to
Geographical site of data collection (if applicable) Description of the material from which the dataset is generated Information will be obtained from individuals, which can come from natural/hatchery population and/or from family produced in hatchery. Animals can be infected (naturally or experimentally). DNA extraction can be done from the whole animal, tissue. Protocols Example: 16S ribosomal RNA gene sequencing by NGS Please refer to the DMP table* for	Experimental infection The histological slides came from a hatchery oyster population infected experimentally by the OsHV-1 virus. Each histological slide corresponds to one individual. 208 individuals were analysed. Each oyster was cut in two parts; one was fixed in Davidson's fixative for histological examination and the other one was fixed in Carson's fixative for further electron microscopic analysis. After 48 h in Davidson's fixative, tissues were maintained in 70% ethanol until
Geographical site of data collection (if applicable) Description of the material from which the dataset is generated Information will be obtained from individuals, which can come from natural/hatchery population and/or from family produced in hatchery. Animals can be infected (naturally or experimentally). DNA extraction can be done from the whole animal, tissue. Protocols Example: 16S ribosomal RNA gene sequencing by NGS Please refer to the DMP table* for	Experimental infection The histological slides came from a hatchery oyster population infected experimentally by the OsHV-1 virus. Each histological slide corresponds to one individual. 208 individuals were analysed. Each oyster was cut in two parts; one was fixed in Davidson's fixative for histological examination and the other one was fixed in Carson's fixative for further electron microscopic analysis. After 48 h in Davidson's fixative, tissues were maintained in 70% ethanol until dehydrated and embedded in paraffin for histology according to standard procedures. Sections of 2–3 µm thickness were stained by



data Example: Raw dataset in .blc/.fastqc/.fasta formats for genomic information, and processed datas set will be .vcf/.bed formats. Please refer to the DMP table* for more examples	Descriptive text of the lesions present in text format
Coverage (if applicable) Example: random genomic regions covered at 50 X Please refer to the DMP table* for more examples	Main organs of Crassostrea gigas (gills digestive gland mantle, muscle, labial palps).
What are the prerequisites allowing to use the data as such? Example: Any person able to use fastqc file and fasta file Please refer to the DMP table* for more examples	Any person able to use image software allowing the image viewing on TIFF format.
Sharing of main data	Saved and shared after publication Please specify
Archiving and preservation Example: data will be stored on a hard drive + online back up and then will be released on public database (Sinoe, Dryad) after publication. Please refer to the DMP table* for more examples	All slides and blocks are kept in the laboratory. The images and text were kept on a local computer server. The references of the blocks and slides are 2016FRE116 1 to 208.
List, description and storage of associated data (metadata) Examples: environmental data, mortality monitoring, genotyping	The oyster mortality was followed during the experiment. DNA analyses were performed on all individuals.
Sharing of metadata (if relevant)	Saved and shared after publication

^{*}To access the <u>DMP table</u>, please login on the VIVALDI online platform

Once completed, this sheet has to:

- 1. Be sent to the referent(s) identified above for a final check
- 2. Be uploaded on the VIVALDI online platform

